



Gustavo Roriz Quartet Technical Rider and Stage Plot

WWW.GUSTAVORORIZ.COM
+44 774 124 5103

GUSTAVO




Classical Guitar



Gustavo Roriz



Bass

Stage Plot

GUSTAVO
Roriz

Instrument	Mic/DI	Extra	Stand
Voice 1	SM 58 / SMBeta58	Comp	Boom
Voice 2	SM 58 / SMBeta58	Comp	Boom
Voice 3	SM 58 / SMBeta58	Comp	Boom
Cajón	SM 57/AT 350	Comp	Small
Bongô	SM 57/AT 350	Comp	Low Profile
Darbuka	SM 57/AT 350	Comp	Low Profile
Udu	SM 57/AT 350	Comp	Low Profile
Rebolo	SM91 / D112 AKG	Comp	Small
Hi - Hat	SM81/CK91	Comp	Low Profile
O.H. - L	SM81/CK91	Comp	Boom
O.H. - R	SM81/CK91	Comp	Boom
Guiola	DI BSS AR 133 AKG CK/91	Comp	Low Profile
Classical Guitar	DI BSS AR 133 AKG CK/91	Comp	Low Profile
Bass/Double Bass	DI BSS AR 133.	Comp	N/A

FRONT SYSTEM

Contractor's Choice

MONITOR SYSTEM

- 1 mixer/32-channel monitors, 4-band parametric EQ, 4 independent mixes
(Soundcraft Series 5, or compatible)
 - 8 Eq third octave (KLARKTEKNIK, XTA)
 - 1 YAMAHA REV 500
- 5 floor monitors equal to 15" + Horn (EX: MARTIN AUDIO LE400, 700 LE)
 - 4 mixes 5 monitors, 2 monitors for the drummer.

RELEVANTE INFORMATIONS

- All mixer and processor racks must be lit.
 - The FOH Mixer must be mounted in a central position in relation to the AP so that the operator is located level with the audience.
 - NOTE: The brands in this portfolio are only suggestions. Please notify in advance of any proposed changes to this listing in order to find the best technical solutions for the performance.
- Thank you very much.